

PATIENT-RATED TENNIS ELBOW EVALUATION

Name _____

Date _____

*The questions below will help us understand the amount of difficulty you have had with your arm in the past week. You will be describing your **average** arm symptoms **over the past week** on a scale 0-10. Please provide an answer for all questions. If you did not perform an activity because of pain or because you were unable, then you should circle a "10". If you are unsure please estimate to the best of your ability. Only leave items blank if you never perform that activity. Please indicate this by drawing a line completely through the question.*

1. PAIN in your affected arm											
<i>Rate the average amount of pain in your arm over the past week by circling the number that best describes your pain on a scale from 0-10. A zero (0) means that you did not have any pain and a ten (10) means that you had the worst pain imaginable.</i>											
RATE YOUR PAIN:										Worst	
	No Pain									Imaginable	
When your are at rest	0	1	2	3	4	5	6	7	8	9	10
When doing a task with repeated arm movement	0	1	2	3	4	5	6	7	8	9	10
When carrying a plastic bag of groceries	0	1	2	3	4	5	6	7	8	9	10
When your pain was at its least	0	1	2	3	4	5	6	7	8	9	10
When your pain was at its worst	0	1	2	3	4	5	6	7	8	9	10

Please turn the page.....

2. FUNCTIONAL DISABILITY

A. SPECIFIC ACTIVITIES

Rate the **amount of difficulty** you experienced performing each of the tasks listed below, over the past week, by circling the number that best describes your difficulty on a scale of 0-10. A **zero (0)** means you did not experience any difficulty and a **ten (10)** means it was **so difficult you were unable to do it at all**.

	No Difficulty	1	2	3	4	5	6	7	8	9	10 Unable To Do
Turn a doorknob or key	0	1	2	3	4	5	6	7	8	9	10
Carry a grocery bag or briefcase by the handle	0	1	2	3	4	5	6	7	8	9	10
Lift a full coffee cup or glass of milk to your mouth	0	1	2	3	4	5	6	7	8	9	10
Open a jar	0	1	2	3	4	5	6	7	8	9	10
Pull up pants	0	1	2	3	4	5	6	7	8	9	10
Wring out a washcloth or wet towel	0	1	2	3	4	5	6	7	8	9	10

B. USUAL ACTIVITIES

Rate the **amount of difficulty** you experienced performing your **usual** activities in each of the areas listed below, over the past week, by circling the number that best describes your difficulty on a scale of 0-10. By "usual activities", we mean the activities that you performed **before** you started having a problem with your arm. A **zero (0)** means you did not experience any difficulty and a **ten (10)** means it was so difficult you were unable to do any of your usual activities.

1. Personal activities (dressing, washing)	0	1	2	3	4	5	6	7	8	9	10
2. Household work (cleaning, maintenance)	0	1	2	3	4	5	6	7	8	9	10
3. Work (your job or everyday work)	0	1	2	3	4	5	6	7	8	9	10
4. Recreational or sporting activities	0	1	2	3	4	5	6	7	8	9	10

Comments:

Scoring Instructions

Minimize non-response by checking forms when patients complete them. Make sure that the patient left an item blank because they could not do it, that they understand that should have recorded this item as a “10”. If patients are unsure because they have rarely performed an activity in the past week, then they should be encouraged to estimate their average difficulty. This will be more accurate than leaving it blank. If they never perform an activity they will not be able to estimate and should leave it blank. If items from a subscale are left blank, then you can substitute the average score from that subscale.

Pain Subscale- Add up 5 items.

Best score= 0; Worst score =50

Specific Activities- Add up 6 items

Best Score= 0; Worst Score = 60

Usual Activities – Add up 4 items items

Best Score= 0; Worst Score = 40

Function Subscale- (Specific Activities + Usual Activities)/2-

Best score= 0; Worst score =50

Total Score = Pain Subscale + Function Subscale

Best Score= 0 Worst Score = 100

(pain and disability contribute equally to score)

Reliability of subscales and total score are sufficiently high that both subscales and total are reportable.